

PRODUCT INFORMATION

Clone ID	DMC479
Target	APCDD1
Synonyms	B7323; DRAPC1; FP7019; HHS; HTS; HYPT1
Host Species	Rabbit
Description	Anti-APCDD1 antibody(DMC479); IgG1 Chimeric mAb
Delivery	In Stock
Uniprot ID	Q8J025
IgG type	Rabbit/Human Fc chimeric IgG1
Clonality	Monoclonal
Reactivity	Human
Applications	Flow Cyt
Recommended Dilutions	Flow Cyt 1:100
Purification	Purified from cell culture supernatant by affinity chromatography
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	This locus encodes an inhibitor of the Wnt signaling pathway. Mutations at this locus have been associated with hereditary hypotrichosis simplex. Increased expression of this gene may also be associated with colorectal carcinogenesis.[provided by RefSeq; Sep 2010]
Usage	Research use only






Figure 1. Flow cytometry analysis with Anti-APCDD1 (DMC479) on Expi293 cells transfected with human APCDD1 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

