

PRODUCT INFORMATION

Common Name	BB-10901, IMGN901, huN901-DM1
Synonyms	MSK39;NCAM
Conjugate	Unconjugated
Applications	ELISA; Flow Cyt
Recommended Dilutions	ELISA 1:5000-10000; Flow Cyt 1:100
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Host Species	Humanized
lgG type	lgG1
Reactivity	Human
Target	CD56
Uniprot ID	P13591
Description	Anti-CD56(lorvotuzumab biosimilar) mAb
Delivery	In Stock
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
Usage	Research use only
DIMA Disclaimer	All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement.

Email: info@dimabio.com Website: www.dimabio.com





Anti-CD56 (lorvotuzumab biosimilar) mAb ELISA

0.2 µg of Human CD56, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μg/mL (100 μL/well) Human CD56 Protein, His Tag ([getskuurl sku="PME100194"]) can bind Anti-CD56 Neutralizing antibody (BME100102) in a linear range of 0.51-41.15 ng/mL.

Anti-CD56 (lorvotuzumab biosimilar) mAb ELISA

0.2 µg of Human CD56, hFc tagged protein per well




Figure 2. ELISA plate pre-coated by 2 µg/mL (100 µL/well) Human CD56 Protein, hFc Tag (PME100540) can bind Anti-CD56 Neutralizing antibody (BME100102) in a linear range of 1.52–123.46 ng/mL. In order to specifically detect BME100102, mouse anti-human Fab-specific antibody was used as detection antibody.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China) Email: info@dimabio.com Website: www.dimabio.com








Figure 3. Flow cytometry analysis with 1 μg/mL Anti-CD56 (lorvotuzumab biosimilar) mAb (BME100102) on Expi293 cells transfected with Human CD56 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

