

PRODUCT INFORMATION

Common Name	TJ-004309, TJC-4309, TJD-5
Synonyms	NT5E;5'-Nucleotidase;5'-NT;NT5;NTE
Conjugate	Unconjugated
Applications	ELISA; Flow Cyt
Recommended Dilutions	ELISA 1:5000-10000; Flow Cyt 1:100
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Host Species	Chimeric Humanized
IgG type	IgG1
Reactivity	Human
Target	CD73
Uniprot ID	P21589
Description	Anti-CD73(uliledlimab biosimilar) mAb
Delivery	In Stock
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
Usage	Research use only
DIMA Disclaimer	All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement.



Anti-CD73 (uliledlimab biosimilar) mAb ELISA

0.2 μ g of Human CD73, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human CD73 Protein, hFc Tag (PME100829) can bind Anti-CD73 Neutralizing antibody (BME100129) in a linear range of 3.66–937.50 ng/mL. In order to specifically detect BME100129, mouse anti-human Fab-specific antibody was used as detection antibody.




Figure 2. Flow cytometry analysis with 15 μ g/mL Anti-CD73 (uliledlimab biosimilar) mAb (BME100129) on Expi293 cells transfected with Human CD73 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

