

## **PRODUCT INFORMATION**

**Common Name** ASP1650, IMAB027

Conjugate Unconjugated

**Synonyms** Claudin 6; Claudin-6; Skullin

**Applications** ELISA; Flow Cyt

Recommended

**Dilutions** 

ELISA 1:5000-10000; Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

**Host Species** Humanized IgG type Human IgG1

Reactivity Human **Target** CLDN6 **Uniprot ID** P56747

**Description** Anti-CLDN6 (IMAB027) mAb

**Delivery** In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Storage & Shipping Lyophilized proteins are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

**Background** therapeutic or diagnostic procedures for humans

or animals.

**Usage** Research use only

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

**DIMA Disclaimer** 

actively scrutinizing all patent application to ensure no IP infringement.




Email: info@dimabio.com Website: www.dimabio.com










**Figure 1.** Flow cytometry analysis with 1  $\mu$ g/mL Anti-CLDN6 (IMAB027) mAb (BME100082) on Expi293 cells transfected with Human CLDN6 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).




**Figure 2.** ELISA plates were pre-coated with 0.5  $\mu$ g/per well purified human CLDN6 MNPs. Serial diluted Anti-CLDN6 monoclonal antibody (**BME100082**) solutions were added, washed, and incubated with secondary antibody before ELISA reading. From above data, the EC50 for BME100082 binding with Claudin6 MNPs is 34.36 ng/ml.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com







**Figure 3.** Flow cytometry analysis with 15  $\mu$ g/mL Anti-CLDN6 (IMAB027) mAb (BME100082) on Expi293 cells transfected with Human CLDN9 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

