

## **PRODUCT INFORMATION**

**Common Name** M9346A, Unconjugated mAb

Conjugate Unconjugated

**Synonyms** FBP, FOLR, FRalpha, NCFTD

**Applications** ELISA, Flow Cyt

Recommended

**Dilutions** 

ELISA 1:5000-10000, Flow Cyt 1:100

Formulation & Reconstitution

**Background** 

**DIMA Disclaimer** 

Lyophilized from sterile PBS, pH 7.4. Normally 5 % 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions.

**Host Species** Chimeric

IgG type IgG1(E239D, M241L)

Reactivity Human **Target** FOLR1 **Uniprot ID** P15328

**Description** Anti-FOLR1(mirvetuximab biosimilar) mAb

**Delivery** In Stock

> Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping

at -80°C (Avoid repeated freezing and

thawing). Lyophilized antibodies are shipped at

ambient temperature.

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals. Our unconjugated biosimilar

monoclonal antibodies (mAbs) are based on the sequences outlined in relevant patents or scientific publications. These antibodies are in

their native, unconjugated form, meaning they do not contain any payload or therapeutic agent attached. They are designed for use in research and development, and their performance has been tested as standalone molecules through

comprehensive QC tests.

Usage Research use only

All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under

patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to

> Email: info@dimabio.com Website: www.dimabio.com

ensure no IP infringement.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)








Figure 1. FOLR1 protein is highly expressed on the surface of Expi293 cell membrane. Flow cytometry analysis with 1µg/mL Anti-FOLR1(mirvetuximab biosimilar) mAb (BME100178) on Expi293 cells transfected with human FOLR1 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram), and Isotype antibody on Expi293 transfected with irrelevant protein (Orange histogram).

## Anti-FOLR1(mirvetuximab biosimilar) mAb ELISA

0.2 µg of Human FOLR1, His tagged protein per well




Figure 2. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human FOLR1 Protein, His Tag(PME100249) can bind Anti-FOLR1(mirvetuximab biosimilar) mAb(BME100178) in a linear range of 0.64–16 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

