Anti-GUCY2C (ICTCAR-CRC) mAb Cat. No. BME100180



PRODUCT INFORMATION

| Common Name | Innovative Cellular Therapeutics |
|---------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Conjugate | Unconjugated |
| Synonyms | DIAR6, GC-C, GUC2C, MECIL, MUCIL, STAR |
| Applications | ELISA, Flow Cyt |
| Recommended Dilutions | ELISA 1:5000-10000, Flow Cyt 1:100 |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. |
| Host Species | Humanized |
| lgG type | lgG1 |
| Reactivity | Human |
| Target | GUCY2C |
| Uniprot ID | P25092 |
| Description | Anti-GUCY2C (ICTCAR-CRC) mAb |
| Delivery | In Stock |
| Storage & Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).Lyophilized antibodies are shipped at ambient temperature. |
| Background | Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals. |
| Usage | Research use only |
| DIMA Disclaimer | All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. |
| | |

Email: info@dimabio.com Website: www.dimabio.com








Figure 1. Flow cytometry analysis with 1µg/mL Anti-GUCY2C (ICTCAR-CRC) mAb (BME100180) on Expi293 cells transfected with Human GUCY2C protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human GUCY2C Protein, His Tag(PME100262) can bind Anti-GUCY2C(ICTCAR-CRC) mAb(BME100180) in a linear range of 1.60–40 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

