

**PRODUCT INFORMATION**

<b>Common Name</b>	15D2, NN-8226, NNC-0109-0012
<b>Synonyms</b>	IL-20;Cytokine Zcyto10
<b>Applications</b>	Flow Cyt
<b>Recommended Dilutions</b>	Flow Cyt 1:100
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Host Species</b>	Homo sapiens
<b>IgG type</b>	IgG4
<b>Reactivity</b>	Human
<b>Target</b>	IL20
<b>Uniprot ID</b>	Q9NYY1
<b>Description</b>	Anti-IL20(fletikumab biosimilar) mAb
<b>Delivery</b>	In Stock
<b>Storage &amp; Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
<b>Usage</b>	Research use only

DIMA BIO CONFIDENTIAL






Figure 1. Flow cytometry analysis under cell membrane permeable condition with 1 µg/mL Anti-IL20 (fletikumab biosimilar) mAb (BME100132) on Expi293 cells transfected with Human IL20 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

