

## **PRODUCT INFORMATION**

**Clone ID** 1D9 LGR4 **Target** 

**Synonyms** BNMD17;GPR48

**Host Species** Rabbit

Description Anti-LGR4 antibody(1D9), Rabbit mAb

**Delivery** In Stock **Uniprot ID** Q9BXB1 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended

Storage & Shipping

**Background** 

Flow Cyt 1/100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient


temperature.

The protein encoded by this gene is a G-protein coupled receptor that binds R-spondins and activates the Wnt signaling pathway. This Wnt signaling pathway activation is necessary for

proper development of many organs of the body. [provided by RefSeq, Oct 2016]

**Usage** Research use only Conjugate Unconjugated










Figure 1. Flow cytometry analysis with  $10\mu g/mL$  Anti-LGR4 (1D9) mAb on Expi293 cells transfected with human LGR4 (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

