

PRODUCT INFORMATION

Common Name 5C5

Conjugate Unconjugated

Synonyms NKG2D;CD314;KLRK1;NK cell receptor D

Applications ELISA, Flow Cyt

Recommended

Dilutions

ELISA 1:5000-10000, Flow Cyt 1:100

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Host Species Humanized

IgG type lgG1 Reactivity Human **Target** NKG2D **Uniprot ID** P26718

Anti-NKG2D(5C5 biosimilar, L234A/L235A) mAb **Description**

Delivery In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only

All DIMA recombinant antibodies are genuinely

generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are **DIMA Disclaimer**

actively scrutinizing all patent application to ensure no IP infringement.

Email: info@dimabio.com Website: www.dimabio.com





Anti-NKG2D(5C5 biosimilar, L234A/L235A) mAb ELISA

0.2 μg of Human NKG2D, mFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human NKG2D Protein, mFc Tag (PME100079) can bind Anti-NKG2D(5C5 biosimilar, L234A/L235A) mAb (BME100229) in a linear range of 0.13–16 ng/mL.




Figure 2. Flow cytometry analysis with 1μ g/mL Anti-NKG2D(5C5 biosimilar, L234A/L235A) mAb (BME100229) on Expi293 cells transfected with Human NKG2D and DAP10 protein (Blue histogram) or Expi293 transfected with Human DAP10 protein (Red histogram).



Email: info@dimabio.com Website: www.dimabio.com

