

**PRODUCT INFORMATION**

<b>Common Name</b>	PF-06523435,hu24
<b>Synonyms</b>	CCK4
<b>Applications</b>	ELISA, Flow Cyt
<b>Recommended Dilutions</b>	ELISA 1:5000-10000, Flow Cyt 1:100
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Host Species</b>	Humanized
<b>IgG type</b>	IgG1(E239D, M241L)
<b>Reactivity</b>	Human
<b>Target</b>	PTK7
<b>Uniprot ID</b>	Q13308
<b>Description</b>	Anti-PTK7(cofetuzumab biosimilar) mAb
<b>Delivery</b>	In Stock
<b>Storage &amp; Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.
<b>Background</b>	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
<b>Usage</b>	Research use only

CONFIDENTIAL



## Anti-PTK7(cofetuzumab biosimilar) mAb ELISA

0.2  $\mu$ g of Human PTK7, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human PTK7 Protein, hFc Tag (PME100086) can bind Anti-PTK7(cofetuzumab biosimilar) mAb (BME100236) in a linear range of 0.64–80 ng/mL. In order to specifically detect BME100236, mouse anti-human Fab-specific antibody was used as detection antibody.




Figure 2. PTK7 protein is expressed on the surface of Expi293 cell membrane. Flow cytometry analysis with 1  $\mu$ g/mL Anti-PTK7(cofetuzumab biosimilar) mAb (BME100236) (Blue histogram) or isotype control mAb (Red histogram) on Expi293 cells.

