Cat. No. DME100093B



## **PRODUCT INFORMATION**

Clone ID **DM93** BTN3A1 **Target** 

**Synonyms** BTN3A1; BTF5; CD277; BTN3.1; BT3.1

**Host Species** Rabbit

Biotinylated Anti-BTN3A1 antibody(DM93); Rabbit Description

mAb

**Delivery** 2-3 weeks **Uniprot ID** 000481 Rabbit IgG IgG type Clonality Monoclonal Reactivity Human

**Applications** ELISA; Flow Cyt

Recommended

Storage & Shipping

**Background** 

ELISA 1:5000-10000; Flow Cyt 1:100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 8% trehalose is added as protectants before Reconstitution lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

The butyrophilin (BTN) genes are a group of major histocompatibility complex (MHC)-associated genes that encode type I membrane proteins with 2 extracellular PDO 3 (PDV) (PDV)

domains and an intracellular B30.2 (PRYSPRY) domain. Three subfamilies of human BTN genes are located in the MHC class I region: the single-copy BTN1A1 gene (MIM 601610) and the BTN2 (e.g.; BTN2A1; MIM 613590) and BTN3 (e.g.; BNT3A1) genes which have undergoes tandom

BNT3A1) genes; which have undergone tandem duplication; resulting in 3 copies of each.

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)

