Cat. No. DME100101B



## **PRODUCT INFORMATION**

Clone ID DM101 **CD40 Target** 

**Synonyms** CD40; Bp50; CDW40; MGC9013; TNFRSF5; p50

**Host Species** Rabbit

Biotinylated Anti-CD40 antibody(DM101); Rabbit Description

mAb

**Delivery** 2-3 weeks **Uniprot ID** P25942 Rabbit IgG IgG type Clonality Monoclonal Reactivity Human

**Applications** ELISA; Flow Cyt

Recommended

Storage & Shipping

Background

ELISA 1:5000-10000; Flow Cyt 1:100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

témperature.

This gene is a member of the TNF-receptor superfamily. The encoded protein is a receptor on antigen-presenting cells of the immune system and is essential for mediating a broad variety of immune and inflammatory responses including T cell-dependent immunoglobulin class switching; memory B cell development; and germinal center formation. AT-hook transcription factor AKNA is

reported to coordinately regulate the expression of this receptor and its ligand; which may be important for homotypic cell interactions. Adaptor protein TNFR2 interacts with this receptor and serves as a mediator of the signal transduction. The interaction of this receptor and its ligand is found to be necessary for amyloid-beta-induced microglial activation; and thus is thought to be an early event in Alzheimer disease pathogenesis.

Mutations affecting this gene are the cause of

autosomal recessive hyper-IgM immunodeficiency type 3 (HIGM3). Multiple alternatively spliced

transcript variants of this gene encoding distinct isoforms have been reported.

Usage Research use only

Conjugate Biotinylated

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

> > Email: info@dimabio.com

Website: www.dimabio.com

actively scrutinizing all patent application to

ensure no IP infringement.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

**DIMA Disclaimer** 

/+86-400-006-0995(China)

Biotinylated Anti-CD40 antibody(DM101); Rabbit mAb

Cat. No. DME100101B





Email: info@dimabio.com Website: www.dimabio.com



