

PRODUCT INFORMATION

Target	SELPLG
Synonyms	PSGL-1,PSGL1,CD162,Selectin P ligand
Description	Recombinant Cynomolgus SELPLG protein with C-terminal 6×His tag
Delivery	In Stock
Uniprot ID	A0A7N9CVJ8
Expression Host	HEK293
Tag	C-6×His Tag
Molecular Characterization	SELPLG(Leu34-Cys356) 6×His tag
Molecular Weight	The protein has a predicted molecular mass of 34.3 kDa after removal of the signal peptide.
Purity	The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	This gene encodes a glycoprotein that functions as a high affinity counter-receptor for the cell adhesion molecules P-, E- and L- selectin expressed on myeloid cells and stimulated T lymphocytes. As such, this protein plays a critical role in leukocyte trafficking during inflammation by tethering of leukocytes to activated platelets or endothelia expressing selectins. This protein requires two post-translational modifications, tyrosine sulfation and the addition of the sialyl Lewis x tetrasaccharide (sLex) to its O-linked glycans, for its high-affinity binding activity. Aberrant expression of this gene and polymorphisms in this gene are associated with defects in the innate and adaptive immune response. Alternate splicing results in multiple transcript variants.
Usage	Research use only
Conjugate	Unconjugated





Figure 1. Cynomolgus SELPLG Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

