

PRODUCT INFORMATION

C-Flag&Strep Tag Tag

ACHA6 **Target** CHNRA6 **Synonyms**

Human ACHA6-Strep full length protein-synthetic **Description**

nanodisc **Delivery** 6~8weeks **Uniprot ID** Q15825 **Expression Host HEK293**

Protein Families Ion Channels: Cys-loop Receptors

Protein Pathways N/A

Background

The human full length ACHA6-Strep protein has a **Molecular Weight**

MW of 56.9 kDa

mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution for specific instructions. Do not use solvents with

a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

Lyophilized from nanodisc solubilization buffer (20

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

This gene encodes an alpha subunit of neuronal nicotinic acetylcholine receptors. These receptors consist of five subunits and function as ion channels involved in neurotransmission. The

encoded protein is a subunit of neuronal nicotinic acetylcholine receptors that mediate

dopaminergic neurotransmission and are activated by acetylcholine and exogenous nicotine. Alternatively spliced transcript variants have been observed for this gene. Single nucleotide polymorphisms in this gene have been associated with both nicotine and alcohol dependence. [provided by RefSeq, Dec 2010]

> Email: info@dimabio.com Website: www.dimabio.com

Research use only **Usage** Conjugate Unconjugated

