Formulation &

Reconstitution

Background



PRODUCT INFORMATION

C-Flag&Strep Tag Tag

ACKR4 **Target**

CC-CKR-11, CCBP2, CCR-11, CCR10, CCR11, **Synonyms** CCRL1, CCX CKR, CCX-CKR, CKR-11, PPR1, VSHK1

Human ACKR4-Strep full length protein-synthetic Description nanodisc

Delivery 6~8weeks **Uniprot ID** Q9NPB9 **Expression Host HEK293**

Protein Families GPCR, Transmembrane, Druggable Genome,

GPCRDB Class A Rhodopsin-**Protein Pathways**

like, Chemokines, Chemokine and Receptor, The human full length ACKR4-Strep protein has a

Molecular Weight MW of 39.9 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a member of the G protein-clouded by this gene is a member of the G protein-coupled receptor family, and is a receptor for C-C type chemokines. This receptor has been shown to bind dendritic cell- and T cell-activated chemokines including CCL19/ELC, CCL21/SLC, and CCL25/TECK. A pseudogene of this gene is found on chromosome 6.

Alternatively spliced transcript variants encoding the same protein have been described. [provided

by RefSeq, Jul 2013]

Research use only Usage Conjugate Unconjugated

> Email: info@dimabio.com Website: www.dimabio.com

