

PRODUCT INFORMATION

Target	ANGPT2
Synonyms	AGPT2;ANG2;LMPHM10
Description	Recombinant Human ANGPT2(19-496) Protein with C-terminal 6×His tag
Delivery	In Stock
Uniprot ID	O15123
Expression Host	HEK293
Tag	C-6×His Tag
Molecular Characterization	ANGPT2(Tyr19-Phe496) 6×His tag
Molecular Weight	The protein has a predicted molecular mass of 55.7 kDa after removal of the signal peptide. The apparent molecular mass of ANGPT2(19-496)-His is approximately 55-70 kDa due to glycosylation.
Purity	The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	This gene belongs to the angiopoietin family of growth factors. The protein encoded by this gene is an antagonist of angiopoietin 1, and both angiopoietin 1 and angiopoietin 2 are ligands for the endothelial TEK receptor tyrosine kinase. Angiopoietin 2 is upregulated in multiple inflammatory diseases and is implicated in the direct control of inflammation-related signaling pathways. The encoded protein affects angiogenesis during embryogenesis and tumorigenesis, disrupts the vascular remodeling ability of angiopoietin 1, and may induce endothelial cell apoptosis. This gene serves a prognostic biomarker for acute respiratory distress syndrome. [provided by RefSeq, Aug 2020]
Usage	Research use only






Figure 1. Human ANGPT2(19-496) Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

