

## **PRODUCT INFORMATION**

Tag	C-Flag&Strep Tag
Target	BACD1
Synonyms	BACURD1, FKSG86, PDIP1, POLDIP1, hBACURD1
Description	Human BACD1-Strep full length protein-synthetic nanodisc
Delivery	6~8weeks
Uniprot ID	Q8WZ19
<b>Expression Host</b>	HEK293
<b>Protein Families</b>	Ion Channels: Other
Protein Pathways	N/A
Molecular Weight	The human full length BACD1-Strep protein has a
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliguot and store
Storage & Shipping	at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	Substrate-specific adapter of a BCR (BTB-CUL3- RBX1) E3 ubiquitin-protein ligase complex required for synaptic transmission (PubMed:19782033). The BCR(KCTD13) E3 ubiquitin ligase complex mediates the ubiquitination of RHOA, leading to its degradation by the proteasome (PubMed:19782033) Degradation of RHOA regulates the actin cytoskeleton and promotes synaptic transmission (By similarity).[UniProtKB/Swiss-Prot Function]
Usage	Research use only
Conjugate	Unconjugated

