

## **PRODUCT INFORMATION**

Target CD44

CD44;CDW44;CSPG8;ECMR-III;HCELL;HUTCH-I;IN;LHR;MC56;MDU2;MDU3;MIC4;Pgp1;Epican Svnonvms

Description Recombinant Human CD44 Protein with C-terminal 6×His tag

Delivery Uniprot ID P16070 HEK293 **Expression Host** Tag C-6×His Tag

Molecular Characterization CD44(Gln21-Pro220) 6×His tag

The protein has a predicted molecular mass of 22.9 kDa after removal of the signal peptide. The apparent molecular mass of CD44-His is approximately 35-55 kDa due to glycosylation.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. **Molecular Weight** 

Purity

Formulation & Reconstitution

Storage & Shipping

**Background** 

reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.

The protein encoded by this gene is a cell-surface glycoprotein involved in cell-cell interactions, cell adhesion and migration. It is a receptor for hyaluronic acid (HA) and can also interact with other ligands, such as osteopontin, collagens, and matrix metalloproteinases (MMPs). This protein participates in a wide variety of cellular functions including lymphocyte activation, recirculation and homing, hematopoiesis, and tumor metastasis. Transcripts for this gene undergo complex alternative splicing that results in many functionally distinct isoforms, however, the full length nature of some of these variants has not been determined. Alternative splicing is the basis for the structural and functional diversity of this protein, and may be related to tumor metastasis.

Usage Research use only Conjugate Unconjugated



Figure 1. Human CD44 Protein, His Tag on SDS-PAGE under reducing condition. Address: Wuhan institute of Email: info@dimabio.com Website: www.dimabio.com

Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)




Human CD44 Protein, His Tag

Cat. No. PME100108







Email: info@dimabio.com Website: www.dimabio.com

