

## **PRODUCT INFORMATION**

C-Flag&Strep Tag Tag

**Target** CLCN5

CLC5, CLCK2, CIC-5, DENT1, DENTS, NPHL1, NPHL2, XLRH, XRN, hCIC-K2 **Synonyms** 

Human CLCN5-Strep full length protein-synthetic Description

nanodisc 6~8weeks

**Delivery** P51795 **Uniprot ID** HFK293 **Expression Host** 

**Protein Families** Ion Channels: Other

**Protein Pathways** 

Formulation &

Storage & Shipping

**Background** 

The human full length CLCN5-Strep protein has a **Molecular Weight** 

MW of 83.1 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with

Reconstitution a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the CIC family of chloride ion channels and ion transporters. The encoded protein is primarily localized to endosomal membranes and may function to

facilitate albumin uptake by the renal proximal tubule. Mutations in this gene have been found in Dent disease and renal tubular disorders

complicated by nephrolithiasis. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Jan 2013]

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only

Conjugate Unconjugated



