

PRODUCT INFORMATION

C-Flag&Strep Tag Tag

Target CXCR7

ACKR3; CMKOR1; CXC-R7; CXCR-7; GPR159; **Synonyms**

RDC-1; RDC1

Human CXCR7-Strep full length protein-synthetic Description

nanodisc

Delivery 6~8weeks P25106 **Uniprot ID HFK293 Expression Host**

Protein Families Druggable Genome, GPCR, Transmembrane

Protein Pathways

Formulation &

Reconstitution

Storage & Shipping

The human full length CXCR7-Strep protein has a **Molecular Weight**

MW of 41.5 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with

a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

A member of the G-protein coupled receptor family. Although this protein was earlier thought to be a receptor for vasoactive intestinal peptide

(VIP), it is now considered to be an orphan **Background** receptor, in that its endogenous ligand has not been identified. The protein is also a coreceptor for human immunodeficiency viruses (HIV).

Translocations involving this gene and HMGA2 on chromosome 12 have been observed in lipomas.

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only

Conjugate Unconjugated

