

PRODUCT INFORMATION

Tag C-Flag Tag

Target CXD2

Synonyms CX36, GJA9

DescriptionHuman CXD2 full length protein-synthetic

nanodisc

Delivery 6~8weeks

Uniprot ID Q9UKL4

Expression Host HEK293

Protein Families Ion Channels: Other

Protein Pathways N/A

Molecular Weight The human full length CXD2 protein has a MW of

36.1kDa
Lyophilized from nanodisc solubilization buffer (20

mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5%
– 8% trehalose is added as protectants before
lyophilization. Please see Certificate of Analysis
for specific instructions. Do not use solvents with

for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments.

than 5 mM) in subsequent experiments.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Storage & Shipping

Interided for use within a month, and do not use within a month, and do n

Lyophilized proteins are shipped at ambient

témperature.

This gene encodes a member of the connexin protein family. Connexins are gap junction proteins which are arranged in groups of 6 around a central pore to form a connexon, a component of the gap junction intercellular channel. The

of the gap junction intercellular channel. The channels formed by this protein allow cationic molecule exchange between human beta cells and may function in the regulation of inculin

molecule exchange between human beta cells and may function in the regulation of insulin secretion. [provided by RefSeq, Oct 2012]

> Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only

Conjugate Unconjugated

Background



