Formulation &

Reconstitution



PRODUCT INFORMATION

TagC-Flag TagTargetEDNRA

Synonyms ET-A, ETA, ETA-R, ETAR, ETRA, MFDA, hET-AR
Human EDNRA full length protein-synthetic

nanodisc

Delivery 6~8weeks

Uniprot ID P25101

Expression Host HEK293

Protein Families GPCR, Transmembrane, Druggable Genome,

Protein Pathways

GPCRDB Class A Rhodopsin-like,GPCRDB
Other,Peptide GPCRs,Prostaglandin synthesis
regulation,Angiogenesis,Cancer,Endothelial Cell

Biology,

Molecular Weight

The human full length EDNRA protein has a MW of

48.7kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with

for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for the property of the second store with the content of the second store.

Storage & Shipping intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

This gene encodes the receptor for endothelin-1, a peptide that plays a role in potent and long-lasting vasoconstriction. This receptor associates with guanine-nucleotide-binding (G) proteins, and this coupling activates a phosphatidylinositol-

Background calcium second messenger system.

Polymorphisms in this gene have been linked to migraine headache resistance. Alternative splicing results in multiple transcript variants.

Email: info@dimabio.com Website: www.dimabio.com

[provided by RefSeq, Oct 2009]

Usage Research use only
Conjugate Unconjugated

