

PRODUCT INFORMATION

TargetGALR3SynonymsGalanin receptor type 3; GAL3-R; GALR-3;GALNR3DescriptionHuman GALR3 full length protein-synthetic nanodiscDelivery6~8weeksUniprot ID060755Expression HostHEK293Protein FamiliesGPCR, Transmembrane, Druggable Genome,Protein PathwaysGPCRDB Class A Rhodopsin-like, Peptide GPCRs,Molecular WeightThe human full length GALR3 protein has a MW of 39.6kDaLyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectarts before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Storage & ShippipiStorage & ShippipiThe neuropeptide galanin modulates a variety of physiologic processes including physiologic processes including pathways. GALR3 is found in many tissues and may be expressed as 1.4, 2.4, and 5-kb transcripts [provided by RefSeq, Jul 2008]UsageResearch use only	Тад	C-Flag Tag
DescriptionHuman GALR3 full length protein-synthetic nanodiscDelivery6~8weeksUniprot ID060755Expression HostHEK293Protein FamiliesGPCR, Transmembrane, Druggable Genome,Protein FamiliesGPCRDB Class A Rhodopsin-like, Peptide GPCRs,Molecular WeightThe human full length GALR3 protein has a MW of 39.6kDaLyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Storage & ShippingStorage & ShippingStorage data for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.BackgroundBackgroundReferences are seed on the single protein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4, 2.4, -4, and 5-kb transcripts [provided by RefSeq, Jul 2008]	Target	GALR3
DescriptionnanodiscDelivery6~8weeksUniprot ID060755Expression HostHEK293Protein FamiliesGPCRD Class A Rhodopsin-like, Peptide GPCRs,Protein PathwaysGPCRDB Class A Rhodopsin-like, Peptide GPCRs,Molecular WeightThe human full length GALR3 protein has a MW of 39.6kDa Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectnats before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Storage & ShippingStorage 4 ShippingBackgroundRecorrs are shipped at ambient temperature. The neuropeptide galanin modulates a variety of physiologic processes including condition/memory, sensory/pain processing, hormone secretion, and feeding behavior. The human galanin receptors are G protein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4, 2.4, and 5.kb transcripts [provided by RefSeq, Jul 2008]	Synonyms	Galanin receptor type 3; GAL3-R; GALR-3;GALNR3
Uniprot ID060755Expression HostHEK293Protein FamiliesGPCR, Transmembrane, Druggable Genome,Protein PathwaysGPCRDB Class A Rhodopsin-like, Peptide GPCRs,Molecular Weight39.6kDaLyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Storage & ShippingStorage & ShippingStorage & ShippingBackgroundDate Proteins are shipped at ambient temperature. The neuropeptide galanin modulates a variety of physiologic processes including cognition/memory, sensory/pain processing, hormone secretion, and feeding behavior. The human galanin receptors are G protein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4, 2.4-, and 5-kb transcripts [provided by RefSeq, Jul 2008]	Description	
Expression HostHEK293Protein FamiliesGPCR, Transmembrane, Druggable Genome,Protein PathwaysGPCRDB Class A Rhodopsin-like, Peptide GPCRs,Molecular WeightThe human full length GALR3 protein has a MW of 39.6kDa Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Storage & ShippingStorage & ShippingAfter reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.BackgroundBackgroundRecorstitution in modulates a variety of physiologic processes including pathways. GALR3 is found in many tissues and may be expressed as 1.4, 2.4, and 5-kb transcripts [provided by RefSeq, Jul 2008]	Delivery	6~8weeks
Protein FamiliesGPCR, Transmembrane, Druggable Genome,Protein PathwaysGPCRDB Class A Rhodopsin-like, Peptide GPCRs,Molecular WeightThe human full length GALR3 protein has a MW of 39.6kDa Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Storage & ShippingStorage & ShippingStorage to ShippingBackgroundThe neuropeptide galanin modulates a variety of physiologic processes including cognition/memory, sensory/pain processing, hormone secretion, and feeding behavior. The human galanin receptors are G protein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4., 2.4., and 5-kb transcripts [provided by RefSeq, Jul 2008]	Uniprot ID	O60755
Protein PathwaysGPCRDB Class A Rhodopsin-like,Peptide GPCRs,Molecular WeightThe human full length GALR3 protein has a MW of 39.6kDa Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Storage & ShippingStorage & ShippingStorage & ShippingBackgroundThe neuropeptide galanin modulates a variety of physiologic processes including cognition/memory, sensory/pain processing, hormone secretion, and feeding behavior. The human galanin receptors are G protein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4-, 2.4-, and 5-kb transcripts [provided by RefSeq, Jul 2008]	Expression Host	HEK293
Molecular WeightThe human full length GALR3 protein has a MW of 39.6kDa Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.BackgroundThe neuropeptide galanin modulates a variety of physiologic processes including cognition/memory, sensory/pain processing, hormone secretion, and feeding behavior. The human galanin receptors are G protein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4r, 2.4r, and 5-kb transcripts [provided by RefSeq, Jul 2008]	Protein Families	GPCR,Transmembrane,Druggable Genome,
Background 39.6kDa Background Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.BackgroundThe neuropeptide galanin modulates a variety of physiologic processes including cognition/memory, sensory/pain processing, hormone secretion, and feeding behavior. The human galanin receptors are G protein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4-, 2.4-, and 5-kb transcripts [provided by RefSeq, Jul 2008]	Protein Pathways	GPCRDB Class A Rhodopsin-like,Peptide GPCRs,
Formulation & ReconstitutionLyophilized from nanodisc solubilization buffer (20 mM Tris-HCI, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.BackgroundThe neuropeptide galanin modulates a variety of physiologic processes including cognition/memory, sensory/pain processing, hormone secretion, and feeding behavior. The human galanin receptors are G potein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4-, 2.4-, and 5-kb transcripts [provided by RefSeq, Jul 2008]	Molecular Weight	The human full length GALR3 protein has a MW of
Storage & Shippingintended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.BackgroundThe neuropeptide galanin modulates a variety of physiologic processes including cognition/memory, sensory/pain processing, hormone secretion, and feeding behavior. The human galanin receptors are G protein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4-, 2.4-, and 5-kb transcripts [provided by RefSeq, Jul 2008]		Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments.
Backgroundphysiologic processes including cognition/memory, sensory/pain processing, hormone secretion, and feeding behavior. The human galanin receptors are G protein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4-, 2.4-, and 5-kb transcripts [provided by RefSeq, Jul 2008]	Storage & Shipping	lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient
Usage Research use only	Background	physiologic processes including cognition/memory, sensory/pain processing, hormone secretion, and feeding behavior. The human galanin receptors are G protein-coupled receptors that functionally couple to their intracellular effector through distinct signaling pathways. GALR3 is found in many tissues and may be expressed as 1.4-, 2.4-, and 5-kb
	Usage	Research use only
Conjugate Unconjugated	Conjugate	Unconjugated

