

PRODUCT INFORMATION

C-Flag Tag Tag GPR65 **Target**

Synonyms hTDAG8; TDAG8

Human GPR65 full length protein-synthetic **Description**

nanodisc **Delivery** In Stock **Uniprot ID** Q8IYL9 **Expression Host HEK293**

Protein Families Druggable Genome, GPCR, Transmembrane

Protein Pathways

Formulation & Reconstitution

Storage & Shipping

Background

The human full length GPR65 protein has a MW of **Molecular Weight**

39.3 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Lyophilized from PBS. Normally 5% - 8% trehalose is added as

protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with pH lower than 6.5 in

subsequent experiments.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

Receptor for the glycosphingolipid psychosine (PSY) and several related glycosphingolipids. Plays a role in immune response by maintaining lysosome function and supporting phagocytosis-mediated intracellular bacteria clearance. May have a role in activation-induced cell death or

Email: info@dimabio.com Website: www.dimabio.com

differentiation of T-cells.

Usage Research use only

Conjugate Unconjugated



/+86-400-006-0995(China)





ELISA assay to evaluate GPR65-Nanodisc 0.2µg Human GPR65-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag GPR65-Nanodisc ($0.2\mu g/per$ well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with GPR65-Nanodisc is 7.313ng/ml.




Figure 2. WB analysis of Human GPR65-Nanodisc with anti-Flag monoclonal antibody at 1/5000 dilution, followed by Goat Anti-Rabbit IgG HRP at 1/5000 dilution

Email: info@dimabio.com Website: www.dimabio.com

