

## **PRODUCT INFORMATION**

Tag C-Flag Tag
Target GRIA1

Synonyms GLUH1, GLUR1, GLURA, GluA1, HBGR1

Human GRIA1 full length protein-synthetic

Delivery 6~8weeks
Uniprot ID P42261
Expression Host HEK293

**Protein Families** Ion Channels: Glutamate Receptors

Protein Pathways N/A

Molecular Weight

The human full length GRIA1 protein has a MW of

101.5kDa Lyophilized from nanodisc solubilization buffer (20

mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5%
– 8% trehalose is added as protectants before
lyophilization. Please see Certificate of Analysis
for specific instructions. Do not use solvents with
a pH below 6.5 or those containing high

a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

**Storage & Shipping** intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

Glutamate receptors are the predominant excitatory neurotransmitter receptors in the mammalian brain and are activated in a variety of normal neurophysiologic processes. These receptors are heteromeric protein complexes with

multiple subunits, each possessing

transmembrane regions, and all arranged to form a ligand-gated ion channel. The classification of clutamate recentors is based on their activation

glutamate receptors is based on their activation by different pharmacologic agonists. This gene belongs to a family of alpha-amino-3-hydroxy-5methyl-4-isoxazole propionate (AMPA) receptors. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

> Email: info@dimabio.com Website: www.dimabio.com

[provided by RefSeq, Jul 2008]

Usage Research use only
Conjugate Unconjugated

