Cat. No. FLP100652

Delivery



PRODUCT INFORMATION

Tag C-Flag Tag KCAB2 **Target**

AKR6A5, HKvbeta2, HKvbeta2.1, HKvbeta2.2, **Synonyms**

KCNA2B, KV-BETA-2

Human KCAB2 full length protein-synthetic Description

nanodisc 6~8weeks

Uniprot ID Q13303 HFK293 **Expression Host**

Protein Families Ion Channels: Other

Protein Pathways

Formulation & Reconstitution

Storage & Shipping

Background

The human full length KCAB2 protein has a MW of **Molecular Weight**

41kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with

a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

Voltage-gated potassium (Kv) channels represent the most complex class of voltage-gated ion channels from both functional and structural standpoints. Their diverse functions include regulating neurotransmitter release, heart rate, insulin secretion, neuronal excitability, epithelial electrolyte transport, smooth muscle contraction,

and cell volume. Four sequence-related

potassium channel genes – shaker, shaw, shab, and shal – have been identified in Drosophila, and each has been shown to have human homolog(s). This gene encodes a member of the potassium channel, voltage-gated, shaker-related subfamily. This member is one of the beta subunits, which are auxiliary proteins associating with functional Kv-alpha subunits. This member alters functional properties of the KCNA4 gene product. Alternative

splicing of this gene results in multiple transcript variants encoding distinct isoforms. [provided by

> Email: info@dimabio.com Website: www.dimabio.com

RefSeq, Dec 2010]

Usage Research use only Conjugate Unconjugated

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

