

PRODUCT INFORMATION

Tag C-Flag Tag
Target KCTD7

Synonyms CLN14, EPM3

DescriptionHuman KCTD7 full length protein-synthetic

nanodisc

Delivery 6~8weeks

Uniprot ID Q96MP8

Expression Host HEK293

Protein Families Ion Channels: Other

Protein Pathways N/A

Molecular Weight

The human full length KCTD7 protein has a MW of

33.1kDa
Lyophilized from nanodisc solubilization buffer (20)

mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5%
– 8% trehalose is added as protectants before
lyophilization. Please see Certificate of Analysis

Formulation & Iyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments

concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Storage & Shipping

Therided for use within a month, and other at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

témperature.

This gene encodes a member of the potassium channel tetramerization domain-containing protein family. Family members are identified on a structural basis and contain an amino-terminal domain similar to the T1 domain present in the voltage-gated potassium channel. Mutations in this gene have been associated with progressive

this gene have been associated with progressive myoclonic epilepsy-3. Alternative splicing results

Email: info@dimabio.com Website: www.dimabio.com

in multiple transcript variants.[provided by RefSeq, Jan 2011]

Usage Research use only

Conjugate Unconjugated

Background

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)

