

**PRODUCT INFORMATION**

<b>Target</b>	LY6H
<b>Synonyms</b>	NMLY6
<b>Description</b>	Recombinant Human LY6H Protein with C-terminal human Fc tag
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	O94772
<b>Expression Host</b>	HEK293
<b>Tag</b>	C-Human Fc Tag
<b>Molecular Characterization</b>	LY6H(Leu26-Gly115) hFc(Glu99-Ala330)
<b>Molecular Weight</b>	The protein has a predicted molecular mass of 36.0 kDa after removal of the signal peptide. The apparent molecular mass of LY6H-hFc is approximately 35-55 kDa due to glycosylation.
<b>Purity</b>	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage &amp; Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	Believed to act as a modulator of nicotinic acetylcholine receptors (nAChRs) activity. In vitro inhibits alpha-3:beta-4-containing nAChRs maximum response. May play a role in the intracellular trafficking of alpha-7-containing nAChRs and may inhibit their expression at the cell surface. Seems to inhibit alpha-7/CHRNA7 signaling in hippocampal neurons.[UniProtKB/Swiss-Prot Function]
<b>Usage</b>	Research use only
<b>Conjugate</b>	Unconjugated





Figure 1. Human LY6H Protein, hFc Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

