

PRODUCT INFORMATION

C-Flag&Strep Tag Tag

Target MC3R

Expression Host

Formulation & Reconstitution

Synonyms BMIQ9, MC3, MC3-R, OB20, OQTL

HEK293

Human MC3R-Strep full length protein-synthetic **Description**

nanodisc **Delivery** 6~8weeks **Uniprot ID** P41968

Protein Families GPCR, Transmembrane, Druggable Genome,

GPCRDB Class A Rhodopsin-like, Peptide **Protein Pathways**

GPCRs, Metabolic and Obesity,

The human full length MC3R-Strep protein has a **Molecular Weight**

MW of 36 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with

a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a G-protein-coupled receptor for melanocyte-stimulating hormone and adrenocorticotropic hormone that is expressed in

tissues other than the adrenal cortex and

melanocytes. This gene maps to the same region as the locus for benign neonatal epilepsy. Mice deficient for this gene have increased fat mass **Background** despite decreased food intake, suggesting a role

for this gene product in the regulation of energy homeostasis. Mutations in this gene are associated with a susceptibility to obesity in humans. [provided by RefSeq, Jul 2008]

Research use only Usage

Conjugate Unconjugated

Email: info@dimabio.com Website: www.dimabio.com

