Formulation & Reconstitution

Background



PRODUCT INFORMATION

Tag C-Flag&Strep Tag

Target MTR1L
Synonyms H9, Mel1c

DescriptionHuman MTR1L-Strep full length protein-synthetic

Delivery 6~8weeks
Uniprot ID Q13585
Expression Host HEK293

Protein Families GPCR,Transmembrane,Druggable Genome, **Protein Pathways** GPCRDB Class A Rhodopsin-like,Cell Cycle,

Molecular Weight

The human full length MTR1L-Strep protein has a

MW of 67.4 kDa Lyophilized from nanodisc solubilization buffer (20

mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5%
– 8% trehalose is added as protectants before
lyophilization. Please see Certificate of Analysis
for specific instructions. Do not use solvents with
a pH below 6.5 or those containing high

a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store the store of t

Storage & Shippingintended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

This gene product belongs to the G-protein coupled receptor 1 family. Even though this protein shares similarity with the melatonin receptors, it does not bind melatonin, however, it inhibits melatonin receptor 1A function through heterodimerization. Polymorphic variants of this

gene have been associated with bipolar affective disorder in women. [provided by RefSeq, Jan

2010]

Usage Research use only
Conjugate Unconjugated



