

PRODUCT INFORMATION

PD-L1 **Target**

B7-H; B7H1; PDL1; CD274; hPD-L1; PDCD1L1; **Synonyms**

PDCD1LG1

Description Recombinant human PD-L1 Protein

Delivery In Stock **Uniprot ID** Q9NZQ7 **Expression Host HEK293** Tag No tag

Storage & Shipping

Background

Molecular PD-L1(Phe19-Arg238) Characterization

The protein has a predicted molecular mass of **Molecular Weight** 25.9 kDa after removal of the signal peptide.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue **Purity**

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before Formulation & lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

temperature.

This gene encodes an immune inhibitory receptor ligand that is expressed by hematopoietic and non-hematopoietic cells, such as T cells and B cells and various types of tumor cells. The encoded protein is a type I transmembrane protein that has immunoglobulin V-like and C-like domains. Interaction of this ligand with its receptor inhibits T-cell activation and cytokine production. During infection or inflammation of normal tissue, this interaction is important for


preventing autoimmunity by maintaining homeostasis of the immune response. In tumor microenvironments, this interaction provides an immune escape for tumor cells through cytotoxic T-cell inactivation. Expression of this gene in

tumor cells is considered to be prognostic in many types of human malignancies, including colon cancer and renal cell carcinoma. Alternative splicing results in multiple transcript variants.

[provided by RefSeq, Sep 2015]

Usage Research use only Conjugate Unconjugated












Figure 1. Human PD-L1 Protein, Tag Free on SDS-PAGE under reducing condition.

