

## **PRODUCT INFORMATION**

Tag	C ElageStrop Tag
Тад	C-Flag&Strep Tag
Target	SCN4B
Synonyms	ATFB17, LQT10, Navbeta4
Description	Human SCN4B-Strep full length protein-synthetic nanodisc
Delivery	6~8weeks
Uniprot ID	Q8IWT1
Expression Host	HEK293
<b>Protein Families</b>	Ion Channels: Sodium
Protein Pathways	N/A
Molecular Weight	The human full length SCN4B-Strep protein has a MUM of 25 kDa
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in
Storage & Shipping	Isofe at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	The protein encoded by this gene is one of several sodium channel beta subunits. These subunits interact with voltage-gated alpha subunits to change sodium channel kinetics. The encoded transmembrane protein forms interchain disulfide bonds with SCN2A. Defects in this gene are a cause of long QT syndrome type 10 (LQT10). Three protein-coding and one non- coding transcript variant have been found for this gene.[provided by RefSeq, Mar 2009]
Usage	Research use only
Conjugate	Unconjugated

Email: info@dimabio.com Website: www.dimabio.com

