

## **PRODUCT INFORMATION**

Тад	C-Flag Tag
Target	SCNAA
Synonyms	FEPS2, Nav1.8, PN3, SNS
Description	Human SCNAA full length protein-synthetic nanodisc
Delivery	6~8weeks
Uniprot ID	Q9Y5Y9
<b>Expression Host</b>	HEK293
<b>Protein Families</b>	Ion Channels: Sodium
Protein Pathways	N/A
Molecular Weight	The human full length SCNAA protein has a MW of 220.6kDa
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in
Storage & Shipping	lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	The protein encoded by this gene is a tetrodotoxin-resistant voltage-gated sodium channel alpha subunit. The properties of the channel formed by the encoded transmembrane protein can be altered by interaction with different beta subunits. This protein may be involved in the onset of pain associated with peripheral neuropathy. Alternative splicing results in multiple transcript variants. [provided by RefSeq, Jun 2014]
Usage	Research use only
Conjugate	Unconjugated

