

**PRODUCT INFORMATION**

<b>Target</b>	SIGLEC9
<b>Synonyms</b>	CD329;CDw329;FOAP-9;OBBP-LIKE;siglec-9
<b>Description</b>	Recombinant human SIGLEC9 protein with C-terminal 6×His tag
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	Q9Y336
<b>Expression Host</b>	HEK293
<b>Tag</b>	C-6×His Tag
<b>Molecular Characterization</b>	SIGLEC9(Gln18-Gly348) 6×His tag
<b>Molecular Weight</b>	The protein has a predicted molecular mass of 36.9 kDa after removal of the signal peptide. The apparent molecular mass of SIGLEC9-His is approximately 55-70 kDa due to glycosylation.
<b>Purity</b>	The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Storage &amp; Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	Putative adhesion molecule that mediates sialic-acid dependent binding to cells. Preferentially binds to alpha-2,3- or alpha-2,6-linked sialic acid. The sialic acid recognition site may be masked by cis interactions with sialic acids on the same cell surface.[UniProtKB/Swiss-Prot Function]
<b>Usage</b>	Research use only






Figure 1. Human SIGLEC9 Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

