

PRODUCT INFORMATION

Tag	C-Flag Tag
Target	T2R60
Synonyms	T2R56, T2R60
Description	Human T2R60 full length protein-synthetic nanodisc
Delivery	6~8weeks
Uniprot ID	P59551
Expression Host	HEK293
Protein Families	Transmembrane,Druggable Genome,
Protein Pathways	N/A
Molecular Weight	The human full length T2R60 protein has a MW of 36.3kDa
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments.
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	This gene encodes a member of the bitter taste receptor family which belong to the G protein-coupled receptor superfamily and are predominantly expressed in taste receptor cells of the tongue and palate epithelia. This intronless taste receptor gene encodes a seven-transmembrane receptor protein, functioning as a bitter taste receptor. This gene is clustered together with eight other taste receptor genes on chromosome 7. [provided by RefSeq, Jul 2017]
Usage	Research use only
Conjugate	Unconjugated

