

PRODUCT INFORMATION

Target	TPO
Synonyms	MSA; TPX; TDH2A
Description	Recombinant human TPO Protein with C-terminal 6×His tag
Delivery	In Stock
Uniprot ID	P07202
Expression Host	HEK293
Tag	C-6×His tag
Molecular Characterization	TPO(Phe19-Arg846) 6×His tag
Molecular Weight	The protein has a predicted molecular mass of 92.8 kDa after removal of the signal peptide. The apparent molecular mass of TPO-His is approximately 100-130 kDa due to glycosylation.
Purity	The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	This gene encodes a membrane-bound glycoprotein. The encoded protein acts as an enzyme and plays a central role in thyroid gland function. The protein functions in the iodination of tyrosine residues in thyroglobulin and phenoxyster formation between pairs of iodinated tyrosines to generate the thyroid hormones, thyroxine and triiodothyronine. Mutations in this gene are associated with several disorders of thyroid hormonogenesis, including congenital hypothyroidism, congenital goiter, and thyroid hormone organification defect IIA. Multiple transcript variants encoding distinct isoforms have been identified for this gene, but the full-length nature of some variants has not been determined. [provided by RefSeq, May 2011]
Usage	Research use only
Conjugate	Unconjugated






Figure 1. Human TPO Protein, His Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

