

PRODUCT INFORMATION

C-Flag Tag Tag **Target** TS1R1

Synonyms GM148, GPR70, T1R1, TR1

Human TS1R1 full length protein-synthetic **Description**

nanodisc **Delivery** 6~8weeks **Uniprot ID** Q7RTX1 **Expression Host HEK293**

Transmembrane, Druggable Genome, **Protein Families**

Protein Pathways

Background

The human full length TS1R1 protein has a MW of **Molecular Weight**

93.1kDa

mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution for specific instructions. Do not use solvents with

a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

Lyophilized from nanodisc solubilization buffer (20

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

The protein encoded by this gene is a G protein-coupled receptor and is a component of the heterodimeric amino acid taste receptor T1R1+3. The T1R1+3 receptor responds to L-amino acids but not to D-enantiomers or other compounds. Most amino acids that are perceived as sweet

activate T1R1+3, and this activation is strictly dependent on an intact T1R1+3 heterodimer. Multiple transcript variants encoding different isoforms have been found for this gene. [provided

> Email: info@dimabio.com Website: www.dimabio.com

by RefSeq, Jun 2010]

Usage Research use only Conjugate

Unconjugated

