

PRODUCT INFORMATION

Target	GDF15
Synonyms	SBF; MIC-1; NAG-1
Description	Recombinant mouse GDF15 Protein with C-terminal 3×Flag tag
Delivery	In Stock
Uniprot ID	Q9Z0J7
Expression Host	HEK293
Tag	C-3×Flag Tag
Molecular Characterization	Mouse GDF15(Met1-Ala303) 3×Flag tag
Molecular Weight	The protein has a predicted molecular mass of 36.2 kDa after removal of the signal peptide.
Purity	The purity of the protein is greater than 90% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta) superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to recruitment and activation of SMAD family transcription factors that regulate gene expression. The encoded preproprotein is proteolytically processed to generate each subunit of the disulfide-linked homodimer. The protein is expressed in a broad range of cell types, acts as a pleiotropic cytokine and is involved in the stress response program of cells after cellular injury. Increased protein levels are associated with disease states such as tissue hypoxia, inflammation, acute injury and oxidative stress. Mice lacking a functional copy of this gene exhibit progressive loss of motor neurons, and more rapid blood clot formation. [provided by RefSeq, Aug 2016]
Usage	Research use only
Conjugate	Unconjugated






Figure 1. Mouse GDF15 Protein, Flag Tag on SDS-PAGE under reducing condition.

DIMABIO CONFIDENTIAL

