

## **PRODUCT INFORMATION**

**Clone ID** DM191 **CD70 Target** 

CD70;CD27LG;TNFSF7;TNFSF7G;CD27L **Synonyms** 

**Host Species** 

PE-conjugated Anti-CD70 antibody(DM191); Rabbit mAb Description

Flow Cyt

**Delivery** 3-4 weeks **Uniprot ID** P32970 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human

Recommended

**Applications** 

Formulation &

Flow Cyt 1:100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Liquid PBS with 0.05% Proclin300, 1% BSA Reconstitution

Storage & Shipping Store at 2°C-8°C for 6 months

> The protein encoded by this gene is a cytokine The protein encoded by this gene is a cytokine that belongs to the tumor necrosis factor (TNF) ligand family. This cytokine is a ligand for TNFRSF27:CD27. It is a surface antigen on activated; but not on resting; T and B lymphocytes. It induces proliferation of costimulated T cells; enhances the generation of cytolytic T cells; and contributes to T cell activation. This cytokine is also reported to play a role in regulating B-cell activation; cytotoxic function of natural killer cells; and immunoglobulin sythesis.

**Background** 

Email: info@dimabio.com Website: www.dimabio.com

immunoglobulin sythesis.

Usage Research use only Conjugate PE-conjugated

