

PRODUCT INFORMATION

Clone ID DM187 IL2 **Target**

IL-2; lymphokine; TCGF **Synonyms**

Host Species Rabbit

PE-conjugated Anti-IL2 antibody(DM187); Rabbit Description

mAb

Delivery 3-4 weeks **Uniprot ID** P60568 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human

Recommended

Formulation &

Background

Applications

Flow Cyt 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Liquid PBS with 0.05% Proclin300, 1% BSA Reconstitution

Flow Cyt

Storage & Shipping Store at 2°C-8°C for 6 months

This gene is a member of the interleukin 2 (IL2) cytokine subfamily which includes IL4; IL7; IL9; IL15; IL21; erythropoietin; and thrombopoietin. The protein encoded by this gene is a secreted cytokine produced by activated CD4 and CD8 T

lymphocytes; that is important for the proliferation of T and B lymphocytes. The receptor of this cytokine (IL2R) is a heterotrimeric

protein complex whose gamma chain is also shared by IL4 and IL7. The expression of this gene in mature thymocytes is monoallelic; which represents an unusual regulatory mode for controlling the precise expression of a single gene. The targeted disruption of a similar gene in mice leads to ulcerative colitis-like disease; which

> Email: info@dimabio.com Website: www.dimabio.com

suggests an essential role of this gene in the immune response to antigenic stimuli.

Usage Research use only

Conjugate PE-conjugated

