

PRODUCT INFORMATION

Common Name PF-06946860

Synonyms GDF-15;MIC-1;MIC1;NAG-1;PDF;PLAB;PTGFB

Conjugate Unconjugated **Applications** ELISA, Flow Cyt

Recommended **Dilutions**

ELISA 1:5000-10000, Flow Cyt 1:100

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Humanized

Host Species

IgG type lgG1 Reactivity Human **Target** GDF15 **Uniprot ID** Q99988

Anti-GDF15(ponsegromab biosimilar) mAb **Description**

Delivery In Stock

> Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping

at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

DIMA Disclaimer

actively scrutinizing all patent application to ensure no IP infringement.

Email: info@dimabio.com Website: www.dimabio.com






Figure 1. Flow cytometry analysis under cell membrane permeable condition with 1 μ g/mL Anti-GDF15 (ponsegromab biosimilar) mAb (BME100090) on Expi293 cells transfected with Human GDF15 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Anti-GDF15(ponsegromab biosimilar) mAb ELISA

0.2 μg of Human GDF15, hFc tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human GDF15 Protein, hFc Tag (PME100628) can bind Anti-GDF15(ponsegromab biosimilar) mAb (BME100090) in a linear range of 0.64–80 ng/mL. In order to specifically detect BME100090, mouse anti-human Fab-specific antibody was used as detection antibody.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

