

PRODUCT INFORMATION

Common Name MBG-453

HAVCR2, TIMD3 **Synonyms Applications** ELISA, Flow Cyt

Recommended

Dilutions

ELISA 1:5000-10000, Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions.

Host Species Humanized

IgG type IgG4 Reactivity Human TIM3 **Target Uniprot ID** Q8TDQ0

Description Anti-TIM3(sabatolimab biosimilar) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Email: info@dimabio.com Website: www.dimabio.com

Storage & Shipping at -80°C (Avoid repeated freezing and

thawing). Lyophilized antibodies are shipped at

ambient temperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only






Figure 1. Flow cytometry analysis with $1\mu g/mL$ Anti-TIM3(sabatolimab biosimilar) mAb (BME100173) on Expi293 cells transfected with Human TIM3 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Anti-TIM3(sabatolimab biosimilar) mAb ELISA

0.2 µg of Human TIM3, mFc-His tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human TIM3 Protein, mFc-His Tag(PME100030) can bind Anti-TIM3 (sabotolimab biosimilar) mAb(BME100173) in a linear range of 0.64–16 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com

