Package

Warranty and

Disclaimer

Background



PRODUCT INFORMATION

Target CD20

Monoclonal Cell Line Derived from K562 Cells,
Engineered for Stable Expression of Human CD20

Using Lentiviral Technology

Host Cells K562
Uniprot ID P11836
Applications FACS Data

Growth media RPMI-1640+10% FBS+1% P.S+1% Gln+2 ug/mL

Puromycin 5E6 Cells/mL

Host Species Human

Suggested Control SKU: BME100160

1. Please inspect cells upon receipt and report any issues promptly. 2. We offer one-time replacements for issues reported within a week of receipt. 3. User-induced issues are not eligible for free replacements. 4. We do not accept liability for damages resulting from cell use, storage, or loss. 5. Feedback received more than one month

after receipt will not be processed.

Storage & Shipping

Cells are shipped using dry ice and require liquid nitrogen storage for long term preservation

nitrogen storage for long term preservation.

Synonyms B1;Bp35;CD20;CVID5;LEU-16;MS4A2;S7

This gene encodes a member of the membranespanning 4A gene family. Members of this nascent protein family are characterized by common structural features and similar

intron/exon splice boundaries and similar intron/exon splice boundaries and display unique expression patterns among hematopoietic cells and nonlymphoid tissues. This gene encodes a Blymphocyte surface molecule which plays a role in the development and differentiation of B-cells into plasma cells. This family member is localized to 11q12, among a cluster of family members. Alternative splicing of this gene results in two

transcript variants which encode the same

protein.

Usage For research use only.



Email: info@dimabio.com Website: www.dimabio.com





Hu_CD20 K562 Cell Line




Figure 1. Flow cytometry analysis of human CD20 overexpression using Hu_CD20 K562 Cell Line (Cat. No. CEL100018) and Anti-CD20 (obinutuzumab biosimilar) mAb (Cat. No. BME100160)

