

PRODUCT INFORMATION

Tag C-Flag Tag CA2D4 **Target Synonyms** RCD4

Human CA2D4 full length protein-synthetic **Description**

nanodisc **Delivery** 6~8weeks **Uniprot ID** Q7Z3S7 **Expression Host HEK293**

Protein Families Ion Channels: Other

Protein Pathways N/A

Formulation & Reconstitution

Storage & Shipping

Background

Usage

The human full length CA2D4 protein has a MW of **Molecular Weight**

127.9kDa

mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with

a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

Lyophilized from nanodisc solubilization buffer (20

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

This gene encodes a member of the alpha-2/delta subunit family, a protein in the voltage-dependent calcium channel complex. Calcium channels mediate the influx of calcium ions into the cell upon membrane polarization and consist of a complex of alpha-1, alpha-2/delta, beta, and gamma subunits in a 1:1:1:1 ratio. Various versions of each of these subunits exist, either

expressed from similar genes or the result of alternative splicing. Research on a highly similar protein in rabbit suggests the protein described in this record is cleaved into alpha-2 and delta subunits. Alternate transcriptional splice variants of this gene have been observed but have not been thoroughly characterized. [provided by

RefSeg, Jul 2008] Research use only

Conjugate Unconjugated

> Email: info@dimabio.com Website: www.dimabio.com



