Cat. No. PME101614



## **PRODUCT INFORMATION**

CDH3 **Target** 

**Synonyms** CDHP; HJMD; PCAD

Recombinant human CDH3(329-440) Protein with **Description** 

C-terminal human Fc tag

**Delivery** In Stock **Uniprot ID** P22223 **Expression Host HEK293** 

Tag C-Human Fc tag

Molecular

**Molecular Weight** 

Purity

**Background** 

CDH3(Asp329-Phe440) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of

38.5 kDa after removal of the signal peptide. The apparent molecular mass of CDH3(329-440)-hFc is approximately 35-55 kDa due to glycosylation.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & Reconstitution

 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a classical cadherin of the cadherin superfamily. Alternative splicing results in multiple transcript variants, at least one of

which encodes a preproprotein that is proteolytically processed to generate the mature glycoprotein. This calcium-dependent cell-cell adhesion protein is comprised of five extracellular cadherin repeats, a transmembrane region and a

highly conserved cytoplasmic tail. This gene is located in a gene cluster in a region on the long arm of chromosome 16 that is involved in loss of heterozygosity events in breast and prostate cancer. In addition, aberrant expression of this protein is observed in cervical adenocarcinomas. Mutations in this gene are associated with hypotrichosis with juvenile macular dystrophy and

ectodermal dysplasia, ectrodactyly, and macular dystrophy syndrome (EEMS). [provided by

> Email: info@dimabio.com Website: www.dimabio.com

RéfSeq, Nov 2015]

**Usage** Research use only

Conjugate Unconjugated

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)






Figure 1. Human CDH3(329-440) Protein, hFc Tag on SDS-PAGE under reducing condition.

Email: info@dimabio.com Website: www.dimabio.com

