

**PRODUCT INFORMATION**

<b>Target</b>	HCN2
<b>Synonyms</b>	BCNG-2, BCNG2, HAC-1
<b>Description</b>	Human HCN2 full length protein-synthetic nanodisc
<b>Delivery</b>	6~8weeks
<b>Uniprot ID</b>	Q9UL51
<b>Expression Host</b>	HEK293
<b>Protein Families</b>	Ion Channels: Cyclic nucleotide gated
<b>Protein Pathways</b>	N/A
<b>Molecular Weight</b>	The human full length HCN2 protein has a MW of 97kDa
<b>Formulation &amp; Reconstitution</b>	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with pH lower than 6.5 in subsequent experiments.
<b>Storage &amp; Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Background</b>	The protein encoded by this gene is a hyperpolarization-activated cation channel involved in the generation of native pacemaker activity in the heart and in the brain. The encoded protein is activated by cAMP and can produce a fast, large current. Defects in this gene were noted as a possible cause of some forms of epilepsy. [provided by RefSeq, Jan 2017]
<b>Usage</b>	Research use only

