

PRODUCT INFORMATION

Target IL17RB

Synonyms CRL4;EVI27;IL17BR;IL17RH1

Recombinant human IL17RB protein with C-**Description**

terminal human Fc tag

Delivery Under development

Uniprot ID Q9NRM6 **Expression Host** HEK293

Tag C-Human Fc Tag

Molecular

Purity

Background

IL17RB (Arg18-Pro292) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of **Molecular Weight** 55.77 kDa after removal of the signal peptide.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before Formulation &

lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a cytokine receptor. This receptor specifically binds to IL17B and IL17E, but does not bind to IL17 and IL17C. This receptor has been shown to mediate the file.

Email: info@dimabio.com Website: www.dimabio.com

activation of NF-kappaB and the production of IL8 induced by IL17E. The expression of the rat counterpart of this gene was found to be

significantly up-regulated during intestinal inflammation, which suggested the immunoregulatory activity of this receptor.

Research use only **Usage**

Conjugate Unconjugated

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)

