

PRODUCT INFORMATION

MRGPRX2 **Target**

Synonyms MGRG3;MRGX2

Recombinant Human MRGPRX2 Protein with C-**Description**

terminal human Fc tag

Delivery In Stock **Uniprot ID** Q96LB1 **Expression Host HEK293**

Tag C-Human Fc Tag

Molecular

Molecular Weight

Reconstitution

MRGPRX2(Met1-Pro33) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of

29.6 kDa after removal of the signal peptide. The apparent molecular mass of MRGPRX2-hFc is approximately 35-55 kDa due to glycosylation. The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation &

- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

Mast cell-specific receptor for basic secretagogues, i.e. cationic amphiphilic drugs, as well as endo- or exogenous peptides, consisting of a basic head group and a hydrophobic core (PubMed:25517090). Recognizes and binds small molecules containing a cyclized tetrahydroisoquinoline (THIQ), such as non-toroidal por propused at hocking drugs (NMPDs)

steroidal neuromuscular blocking drugs (NMBDs),

including tubocurarine and atracurium. In

Background

response to these compounds, mediates pseudo-allergic reactions characterized by histamine release, inflammation and airway contraction (By similarity). Acts as a receptor for a number of other ligands, including peptides and alkaloids, such as cortistatin-14, proadrenomedullin N-terminal peptides PAMP-12 and, at lower extent, PAMP-20, antibacterial protein LL-37, PMX-53 peptide, beta-defensins, and complanadine

> Email: info@dimabio.com Website: www.dimabio.com

A.[UniProtKB/Swiss-Prot Function]

Usage Research use only

Conjugate Unconjugated

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)








Figure 1.Human MRGPRX2 Protein, hFc Tag on SDS-PAGE under reducing condition.

Email: info@dimabio.com Website: www.dimabio.com

