

PRODUCT INFORMATION

Target PD-I 1

B7-H; B7H1; PDL1; CD274; hPD-L1; PDCD1L1; **Synonyms**

PDCD1LG1

Recombinant human PD-L1(128-238) Protein with **Description**

C-terminal human Fc tag

Delivery In Stock **Uniprot ID** Q9NZQ7 **Expression Host** HEK293

Tag C-Human Fc tag

Molecular

Purity

Background

PD-L1(Val128-Arg238) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of

38.8 kDa after removal of the signal peptide. The apparent molecular mass of PD-L1(128-238)-hFc **Molecular Weight** is approximately 35-70 kDa due to glycosylation.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before Formulation & lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping Lyophilized proteins are shipped at ambient

temperature.

This gene encodes an immune inhibitory receptor ligand that is expressed by hematopoietic and non-hematopoietic cells, such as T cells and B cells and various types of tumor cells. The encoded protein is a type I transmembrane protein that has immunoglobulin V-like and C-like domains. Interaction of this ligand with its receptor inhibits T-cell activation and cytokine


production. During infection or inflammation of normal tissue, this interaction is important for preventing autoimmunity by maintaining

homeostasis of the immune response. In tumor microenvironments, this interaction provides an immune escape for tumor cells through cytotoxic T-cell inactivation. Expression of this gene in tumor cells is considered to be prognostic in many types of human malignancies, including colon cancer and renal cell carcinoma. Alternative splicing results in multiple transcript variants.

[provided by RefSeq, Sep 2015]

Usage Research use only Conjugate Unconjugated

Email: info@dimabio.com Website: www.dimabio.com








Figure 1. Human PD-L1(128-238) Protein, hFc Tag on SDS-PAGE under reducing condition.

Email: info@dimabio.com Website: www.dimabio.com

